

ABSTRACT OF THE DISCLOSURE

There is disclosed a method of manufacturing a semiconductor device, which comprises forming a film containing metal elements and silicon elements on a semiconductor substrate, exposing the semiconductor substrate to an atmosphere containing an oxidant to form a silicon dioxide film at the interface between the semiconductor substrate and the film containing metal elements and silicon elements, and nitriding the film containing metal elements and silicon elements after forming the silicon dioxide film.